

#### **DIMENSION**



TYPE	A.	В	С	D	Ε	F	G	Н	l	J	Κ	L	M	N	0	P	Q	R	s	Т	U
GL-13-□	PS½	189	131	108	64. 5	95	138	73	71	40	116	87	58	30	1,13	15	75	11	18	12	4×19
GL-20-[]	PS¾	196	131	108	64. 5	95	138	73	71	40	116	87	58	30	117	15	75	11	18	12	4×19
GL-25-🗆	PS1	208	131	108	64.5	95	138	73	71	40	116	87	58	30	122	15	75	11	18	12	3×19
GL-32-	PS11/4	222	131	108	64.5	95	138	73	71	40	116	87	58	30	130	15	75	,11	18	12	4×19
GL-40-□	PS11/2	265	189	148	89.5	136	184	112	86	70	156	111	100	40	158	19	106	11	22	16	5×22
GL-50-🗆	PS2	290	189	148	89. 5	136	184	112	86	70	156	111	100	40	170	19	106	-11	22	16	5×22

## **COUPLING DIMENSION**



	٧	W	Х	Parts No.
GL-13-□				
GL-20-	69	55		0078022
GL-25-5				
GL-25-10	03	125	E0	0078023
GL-32-□	93	125	50	0076023
GL-40-5	93	125	50	0078024
GL-40-10	100	140	3	0078025
GL-50-5	103	140	03	0078025
GL-50-10	115	160	80	0078026



# GEAR PUMP High Performance Gear Pump OPERATION MANUAL

# **《GL MODEL》**

- Thank you for purchasing KOSHIN GEAR PUMP.
- This manual is prepared for your safety when operating pump. Please read carefully and comprehend fully before use. (Wrong usage could cause injury or death.)
- Please keep this manual handy for future reference.

Please read this manual before operation.

KOSHIN LTD.

www.koshinpump.com

12 Kami-Hachinotsubo Kotari, Nagaokakyo City, Kyoto 617-8511 JAPAN TEL.+81-75-954-6111 FAX.+81-75-954-6119

#### CAUTION


#### 1. Application


• Refrain from using such liquid as solvent, acid, or alkali because the pump is

#### 2. Pump Setting Method

- a) How to attach the pump
  - Shaft center adjustment


Adjust the shaft center of the pump to the shaft center of the motor exactly while fitting a scale or the like so as to avoid any step difference. (See Fig. 1.) For fine adjustment, please use the attached adjust washer. (See Fig. 2)





• Fixing the coupling

Fix the coupling firmly onto the pump shaft by inserting a hexagon screw into the coupling at the pump side, then fastening the screw tightly over the woodruff key with a hexagon wrench so as the coupling may not move along revolution of the pump. (See Fig. 3)



b) Revolutional direction of pump

The pump should turn to the right, i.e. clockwise direction looking from the motor side. Check the revolutional direction with the arrow mark indicated on the front cover. In forward direction, the right side looking from the motor side is the delivery outlet and the left side is the suction inlet.

Refrain from turning the pump in counterclockwise direction as the relief valve incorporated in the pump does not operate, which is very dangerous.


c) Suction piping

For the suction piping, pay close attention to prevent any cavitation in the pump due to the suction resistance. When a high viscosity liquid such as engine oil or B heavy oil is used under a cold climate condition, cavitation tends to be resulted and noise, abnormal wear of gears and other parts, and damage to mechanical seal are resulted.

#### HOW TO USE

- 1. Turn on the switch after making sure the revolutional direction of the pump.
- 2. Before starting continuous operation, check the operational condition by turning on and off the switch for trial.
- 3. Before turning off the switch to stop the pump, open the delivery side valve fully.

#### **PARTS LIST**




No.	PART	S No.	PARTS NAME	QTY	MATERIAL	No.	PARTS No.	PARTS NAME	QTY	MATERIAL
1	GL-40	0070170	Housing	1	FC	16	0090114	Stopper packing	1	NBR .
	GL-50	0070171				17	0070138	Stopper plate	1	SPC
2	GL-40	0070158	Drive gear	1	SCM	18	·	Name plate	1	
	GL-50	0070159				19	0111153	Mechanical seal	1	HG9A-MNø25
3	GL-40	0070164	2nd gear	1 SCM		20	927500028	Needle bearing	4	RLM253225
	GL-50 0070165					21	889955055	O-ring	1	G55 NBR
5	0070	033	Bypass cover	1	FC	22	888327025	Shaft stop-ring	1	
6	0070080		Bush with flute	1	FC,BC	24	886909010	Woodruff key	1	S45C
7	0070	124	Bush B	2	FC,BC	25	734532149	Hexagon socket bolt	4	M14×40SCM
8	0070	043	Bush A	1	FC,BC	26	743119032	Hexagon bolt	3	M6×20SCM
9	0070	137	Foot cap	1	FC	27	843822014	Spring washer	4	φ14
10	0070	134	Particular O-ring	1	NBR	29	854505006	Parker rivet	2	SUS
11	0070110		Popet	1	S35C	30	See another list	JIS Coupling	1	
12	0070109		Bypass cap	1	FC-20	31	735719148	Hexagon bolt	1	M8×20
13	<b>*</b> 1		Spring	1	SWP	31	735719152	Hexagon bolt	1	M8×30(GL-50-10)
14	0070048		Valve packing	1		32	0340142	Seal ring	2	NBR
15	0090115		Stopper	1	SUS	33	0340153	Bind screw	2	M6×8SUS

※1 Spring 0.5MPa (5kgf/cm²)TYPE: GL-40-5, GL-50-5

1MPa (10kgf/cm<sup>2</sup>)TYPE: GL-40-10, GL-50-10

 $\rightarrow 0070079$ 

#### **PARTS LIST**



No.	PART	S No.	PARTS NAME	QTY	MATERIAL	No.	PARTS No.	PARTS NAME	QTY	MATERIAL
1	GL-13	0070004	Housing	1	FC	14	0070038	Valve packing	1	
	GL-20	0070003		-	ADC	15	0070133	Stopper	1	SUS
	GL-25	0070002			ADC	<b>16</b> 0070126		Stopper packing	1	NBR
	GL-32	0070001			FC	17	0070125	Stopper plate	1	SPC
2	GL-13	0070153	Drive gear	1	SCM	18	_	Name plate	1	
	GL-20	0070154				19	0070258	Mechanical seal	1	HG9ALN-3ø20
	GL-25	0070155				20	927500021	Needle bearing	4	RLM202820
	GL-32	0070156				21	890155045	0-ring	1	S45 NBR
3	GL-13	0070160	2nd gear	1	SCM	22	888327020	Shaft stop-ring	1	
	GL-20	0070161				23	848609077	Parallel pin	2	
	GL-25	0070162				24	887009007	Woodruff key	1	S45C
	GL-32	0070163				25	734532090	Hexagon socket bolt	4	M10×25SCM
4	0070	)283	Foot cover	1	ADC	26	734532035	Hexagon socket bolt	3	M5×16SCM
5	0070	284	Bypass cover	1	ADC	27	843822010	Spring washer	8	φ10
6	0070	317	Bush with flute	1	FC	28	843822005	Spring washer	3	<b>φ</b> 5
7	0070	318	Bush B	1	FC	29	854505006	Parker rivet	2	SUS
8	See and	other list	Coupling	1		30	713832026	Hexagon socket screw	1	M6×10SCM
9	0070	141	Foot cap	1	ADC	30	735719148	Hexagon bolt	1	M8×20
10	0070131		Particular O-ring	1	NBR	31	0070319	Bush A	1	FC
11	0070106		Popet	1	S35C	32	0070320	Bush B heat-treated	1	FC <sup>*</sup>
12	0070	105	Bypass cap	1	ZDC	33	734532088	Hexagon socket bolt	4	M10×20SCM
13	<u>*1</u>		Spring	1	SWP	35	0070095	Bypass adjusting plate	1	SPCC

※1 Spring 0.5MPa (5kgf/cm²)TYPE: GL-13-5, GL-20-5, GL-25-5, GL-32-5

→ 0070077

1MPa (10kgf/cm²)TYPE : GL-13-10, GL-20-10, GL-25-10, GL-32-10

 $\rightarrow$  0070026


#### CAUTION

- The figures at the end of each type designation (GL XX-5, GL XX-10) indicate the
  pressure when the relief valve starts to open, 0.5MPa (5kgf/cm²), and 1MPa (10kgf/cm²),
  respectively, and these are selected with due consideration to the piping resistance
  and throttle pressure etc.
- 2. Applicable viscosity differs depending on each type, power output, rate of revolution, piping and suction condition. Ordinarily, an oil within the viscosity range from 5 mm²/s{cst} to 500 mm²/s{cst} should be used.
- 3. For operation, keep the liquid temperature below 60°C.
- Idling is prohibitive.
   Absolutely refrain from idling when kerosine, diesel, A heavy oil and other low and other low viscosity oil is used because the bearings in the pump are lubricated by the liquid transfered.
- 5. Refrain from closing the delivery valve while the pump is in operation.

  A by-pass valve is incorporated in the pump but this is only for safety. Never close the delivery valve while the pump is in operation as such is extremely dangerous because the oil temperature in the pump is increased.
- 6. When the pump is stopped for a long time, prevent rusting in the pump by taking out the transfer liquid in the pump and supplying grease, machine oil and others.

#### MAKING CABITATION

- 1. Lower the setting position of the pump as far as possible so as to increase the suction side liquid pressure. (Fig. 4.)
- 2. Make the suction piping as short as possible.
- 3. Use a little larger pipes as the suction pipe. (Fig. 5)
- 4. When any suction hose is used, employ larger size by one step than the one of nominal size in general, i.e. the hose of the same I.D. as that for gas pipe. (Fig. 5)
- 5. Air allowed into the suction pipe generates unusual noise and causes abrasion of the pump. Seal the joints of suction pipe completely.






Fig 5

### **TROUBLE & REMEDY**

Pump does—			
not turn	Foreign substance in pump		Overhauling
	Operation of by-passvalve	High viscosity of pumping liquid	Lower viscosity by lowering liquid temp
		Piping resistance isexcessive	Reduce the resistance by using larger pipes or by some other measures.
:		by-pass valve.	-Overhauling
		Blocking of liquid passage	-Cleaning of pipe
Nodelivery pressure is given	Rate of revolution is lower than the regular level.		Checking of electrical system
	— Cavitation is resulted —		increasing liquid temperature.
		Rate of revolution is too high.	Lower the revoltion.
	— Liquid leakage ———		- Checking of delivery piping
	Air comming through suction side.		Checking of suction piping.
Noise is	- Shaft center deflection	1	- Shaft center adjustment
generated.	pump or motor		condition.
	Breakage of bearing		- Repair
	Suction side		- Checking of suction piping
	Resonance of piping		- Piping check
	Cavitation is resulted.—	High viscosity of ———— pumped luqid	<ul> <li>Lower the viscosity by in- creasing liquid</li> </ul>
		Excessive resistance of suction pipe.	Reduce resistance by using larger pipes or by other means.
		_Rate of revolution is too high.	– Lower the rate of revolution.

## SPECIFICATION

Pump	Curve	Power	Connec-	Max	Deliyery	volume	Coupling	Pump Shaft Dia
i diip	No	1 OWG	tion Dia	Pressure	60Hz (1720rpm)	50Hz (1450rpm)	Couping	
GL-13-5	0	0.4kw4p 200V 3phase	PS13m/m	0.5MPa	20 <b>l</b> /min	17 ℓ /min		
GL-13-10	2	0.75kw4p 200V 3phase	(1/2")	1MPa	5.3U.S.G/min	4.5U.S.G/min		
GL-20-5	3	0.75kw4p 200V 3phase	PS20m/m	0.5MPa	35 <b>l</b> /min	29 <b>ℓ</b> /min	ZDC	
GL-20-10	4	1.5kw4p 200V 3phase	(3/4")	1MPa	9.2U.S.G/min	7.7U.S.G/min		410 or / or
GL-25-5	(5)	1.5kw4p 200V 3phase	PS25m/m	0.5MPa	55 <b>l</b> /min	46 <b>ℓ</b> /min		<b>φ</b> 18m/m
GL-25-10	6	2.2kw4p	(1″)	1MPa	14.5U.S.G/min	12.1U.S.G/min		
GL-32-5	7	200V 3phase	PS32m/m	0.5MPa	85 <b>l</b> /min	71 ℓ /min		
GL-32-10	8	3.7kw4p 200V 3phase	(11/4")	1MPa	22.4U.S.G/min	18.7U.S.G/min		
GL-40-5	9	2.2kw6p 200V 3phase	PS40m/m	0.5MPa	123 <b>l</b> /min	100 <b>ℓ</b> /min	JIS	
GL-40-10	10	5.5kw6p 200V 3phase	(11/2″)	1MPa	32.5U.S.G/min (1180rpm)	26.4U.S.G/min (960rpm)	010	
GL-50-5	0	3.7kw6p 200V 3phase	PS50m/m	0.5MPa	200 <b>l</b> /min	165 <b>l</b> /min		<b>φ</b> 22m/m
GL-50-10	10	7.5kw6p 200V 3phase	(2")	1MPa	52.8U.S.G/min (1160rpm)	43.6U.S.G/min (940rpm)	-	·

<sup>·</sup> The specification is subject to change without notice for improvement.

## PERFORMANCE CURVE

