

Smart KOSHIN Battery System

Battery-powered, user-friendly and very quiet.

Cordless and lightweight.

The Smart KOSHIN series is a collection of cordless products that have been designed with ease of use as the top priority.

They are lightweight, have long battery life and use lithium-ion batteries to endure repeated recharges.

The Smart KOSHIN series products can all be used with one battery.



| Easy operation with one button | Safe and easy to use/maintain | Powerful and economical | No exhaust gas and very quiet

Smart KOSHIN line-up							
			Model	Battery voltage	Battery capacity	Page	
Washer		Washer	SJC-3625	36v Li-ion	2.5Ah	P68	
sher	SJC-3625 SJC-3650	wasilei	SJC-3650	36v Li-ion	5.0Ah	P68	
	SPH-1820/18N	Pole hedge trimmer	SPH-1820/18N	18vLi-ion	2.0Ah	P69	
		Hedge trimmer	SHT-1820/18N	18vLi-ion	2.0Ah	P69	
	SPS-1820/18N	Pole chainsaw	SPS-1820/18N	18vLi-ion	2.0Ah	P70	
	SHT-1820/18N	Chainsaw	SCS-3625	36v Li-ion	2.5Ah	P70	
	L L	Blower	SBL-1820/18N	18vLi-ion	2.0Ah	P71	
	SBL-1820/18N		SBC-3650	36v Li-ion	5.0Ah	P73	
Gard	SCS-3625	Brush cutter	SBC-3650L	36v Li-ion	5.0Ah	P73	
Garden tool	SBC-3650 SBC-1825		SBC-1825	18vLi-ion	2.5Ah	P73	
	SBC-3650L SBC-1825L		SBC-1825L	18vLi-ion	2.5Ah	P73	
			SGR-1820	18vLi-ion	2.0Ah	P73	
			SBC-3625C	36v Li-ion	2.5Ah	P74	
	1		SLS-7	18vLi-ion	2.0Ah	P61	
	SBC-3625C	Sprayer	SLS-10	18vLi-ion	2.0Ah	P61	
	SLS-10	Sprayer	SLS-15	18vLi-ion	2.0Ah	P61	
			SLS-15H	18vLi-ion	2.0Ah	P61	
ej F	SFP-2518 SLS-15 SLS-15H	Drum pump	SFP-2518	18vLi-ion	2.0Ah	P40	

Smart KOSHIN series optional parts



- Battery pack 18V2.0Ah PA-332
- Battery pack 18V2.5Ah PA-380



- Battery pack 36V2.5Ah
 PA-334
- Battery pack 36V5.0Ah PA-413

Quick charger specs

Fast charger specs		PA-333(18V)	PA-335(36V)
For	Model	PA-332(Capacity2.0Ah)	PA-334(Capacity2.5Ah)
lithium-ion	name	PA-380(Capacity2.5Ah)	PA-413(Capacity5.0Ah)
battery	Voltage	DC18V	DC36V

Caution

[•] All products can share the same battery as long as the voltage (V) is the same. However, when using a battery with a different capacity (Ah) from the standard battery included, operating time and charging time may differ.

Battery-powered high-pressure washer



User-friendly, easy to store and quiet Cordless and easy to use anywhere!

So quiet, your neighbors will never notice Ranks No. 1 in lowest sound level rate (60 dB in low mode)









Easy-to-use SJC-3625

Cordless and easy to use anywhere

With the water tank, you can use this washer anywhere without water supply or power supply.

(self-priming up to 30 cm)

The washer can also be used directly connected to a water supply. (* Water tank sold separately)





<Accessories>

- · Lithium-ion battery 36V/2.5Ah [PA-334](SJC-3625) 36V/5.0Ah [PA-413](SJC-3650)
- 36 V charger [PA335]
- 10 meter high-pressure hose (one touch coupler on both sides)
- Gun Long lance Mist nozzle
- Spin nozzle
- Coupling (on body)
- * Equipped with inlet water filter


■ Specification

SJC-3625 *3	SJC-3650 *3			
Brushless motor				
Lithium-ion				
DC:	36 V			
2.5 Ah	5.0 Ah			
Approx. 90 min	Approx. 180 min			
Low mode: approx. 15 min /	Low mode: approx. 30 min /			
high mode: approx. 10 min	high mode: approx. 20 min			
7.0 MPa				
3.3 L/min (198 L/hr.)				
Tap water at room tem	perature (under 50°C)			
(low mode) 60 dB / (high mode) 63 dB				
10 m				
300 × 300 × 400				
7.8 kg (17.1 lbs)	8.3 kg (18.2 lbs)			
9.1 kg (20.0 lbs)	9.6 kg (21.1 lbs)			
425 × 310 × 420	425 × 310 × 420			
	1			
	Brushles Lithiu DC: 2.5 Ah Approx. 90 min Low mode: approx. 15 min / high mode: approx. 10 min 7.0 3.3 L/min Tap water at room tem (low mode) 60 dB / 10 300 x 30 7.8 kg (17.1 lbs) 9.1 kg (20.0 lbs)			

- *1 May differ depending on temperature or remaining battery power.
- *2 At full charge, no load. *3 Japanese Domestic Model

Battery-powered washer optional parts for SJC series







Battery-powered extendable pole hedge trimmer



Reach high spots without a ladder for easy pruning


Easily trim high branches











■ Specification

Model	SPH-1820 *4	SPH-18N *4			
Motor	Brushless motor				
Battery type	Lithium-ion				
Voltage	DC	18V			
Battery capacity	2.0	Ah			
Charging time *1	Approx	. 70 min			
Operating time *2	Approx	. 50 min			
Trim width	300	mm			
Stroke per minute	1200	rpm*1			
Max trimmable diameter (wood)	18	mm			
Head angle	0-90° (5 steps) (w	hen folded: -180°)			
Body size	1,700~2,200	× 120 × 130			
Accessories	Blade, bl	ade case			
Battery, charger	18 V battery, fast charger	*3			
Net Weight	3.0 kg (6.6 lbs)	2.6 kg (5.7 lbs)			
Gross Weight	4.3 kg (9.4 lbs)	3.5 kg (7.7 lbs)			
Dimensions LxWxH (mm)	1230 × 145 × 180				
Packing Unit	•				

*1 May differ depending on temperature or remaining battery power. *2 At full charge, no load. *3 Battery and charger sold separately: Battery pack 18 V 2.0 Ah (PA-332), Fast charger 18 V (PA-333) *4 Japanese Domestic Model

Battery-powered hedge trimmer



Cordless and easy to use anywhere! No need to worry about accidentally cutting the cord.

■ Specification



Check product information by video



Powerful pruner

Trim area at full charge
100m
1m 100m
100 meters of a 1-meter tall hedge!

Model	SHT-1820 *4	SHT-18N *4	
Motor	Brushless motor		
Battery type	Lithiu	m-ion	
Voltage	DC	18V	
Battery capacity	2.0	Ah	
Charging time *1	Approx.	. 70 min	
Operating time *2	Approx.	. 50 min	
Trim width	350 mm		
Stroke per minute	1200 rpm*1		
Max trimmable diameter (wood)	18	mm	
Body size	805 × 185 × 180		
Accessories	Blade, bl	ade case	
Battery, charger	18 V battery, fast charger	*3	
Net Weight	2.7 kg (5.9 lbs)	2.7 kg (5.9 lbs)	
Gross Weight	4.0 kg (8.8 lbs)	3.2 kg (7.0 lbs)	
Dimensions L×W×H (mm)	785 × 195 × 195 785 × 195 × 195		
Packing Unit	-	1	

*1 May differ depending on temperature or remaining battery power. *2 At full charge, no load. *3 Battery and charger sold separately: Battery pack 18 V 2.0 Ah (PA-332), Fast charger 18 V (PA-333) *4 Japanese Domestic Model

Battery-powered extendable pole chainsaw



Cut tall trees safely and easily without a ladder!

Cutting tall trees is a breeze!









Model	SPS-1820 *4	SPS-18N *4			
Motor	Brushless motor				
Battery type	Lithiu	m-ion			
Voltage	DC ·	18 V			
Battery capacity	2.0	Ah			
Charging time *1	Approx.	70 min			
Operating time *2	Approx.	30 min			
Guide bar length	200	mm			
Chain speed	2.5 m/s				
Head angle	Fixed at 15°				
Adjustable length	1,720–2,300 mm (adjustable extension)				
Body size	1,720 × 100 × 150				
Accessories	Saw chain, guide bar, chain case,				
	chain oil (80 ml), shoulder strap				
Battery, charger	18 V battery, fast charger	*3			
Net Weight	3.3 kg (7.2 lbs)	2.9 kg (6.3 lbs)			
Gross Weight	4.7 kg (10.3 lbs)	3.9 kg (8.5 lbs)			
Dimensions L×W×H (mm)	1630 × 170 × 145				
Packing Unit	1				

Can cut approx. 160

branches 38 mm in diameter.

Battery-powered chainsaw




Easy to operate and quiet battery-powered





Number of branches cut at full charge



Can cut 51 branches 100 mm in diameter at full charge.



Can cut 300 pieces of lumber sized 40 x 50 mm at full charge.

Specification

Model	SCS-3625 *3
Motor	Brushless motor
Battery type	Lithium-ion
Voltage	DC 36 V
Battery capacity	2.5 Ah
Charging time *1	Approx. 90 min
Operating time *2	Approx. 40 min
Guide bar length	300 mm
Chain speed	8 m/s
Body size	662 × 235 × 274
Accessories	Saw chain, guide bar, chain
	case, chainsaw oil (115 ml),
	battery, fast charger
Net Weight	4.5 kg (9.9 lbs)
Gross Weight	6.4 kg (14.1 lbs)
Dimensions L×W×H (mm)	410 × 260 × 290
Packing Unit	1

*1 May differ depending on temperature or remaining battery power.

*2 At full charge, no load. *3 Japanese Domestic Model

^{*}¹ May differ depending on temperature or remaining battery power. *² At full charge, no load. *³ Battery and charger sold separately: Battery pack 18 V 2.0 Ah (PA-332), Fast charger 18 V (PA-333) *⁴ Japanese Domestic Model

Battery-powered blower



Multiple uses in one product. Super convenient!



Clean agricultural machinery

· Blow-dry cars after washing





■ Specification

Model	SBL-1820 *4	SBL-18N *4			
Motor	Brushless motor				
Battery type	Lithium-ion				
Voltage	DC 18 V				
Battery capacity	2.0	Ah			
Charging time *1	Approx.	70 min			
Operating time *2	10 min (high)	/ 20 min (low)			
Maximum air speed	50m/s (high) / 30m/s (low)				
Maximum air flow	2.6 m³/min (high) / 1.6 m³/min (low)				
Body size	923 × 152 × 195				
Accessories	Nozzle				
Battery, charger	18 V battery, fast charger	— *3			
Net Weight	1.5 kg (3.3 lbs)	1.5 kg (3.3 lbs)			
Gross Weight	2.6 kg (5.7 lbs)	1.8 kg (1.8 lbs)			
Dimensions L×W×H (mm)	520 × 185 × 215 520 × 185 × 215				
Packing Unit	1				

*¹ May differ depending on temperature or remaining battery power. *² At full charge, no load. *³ Battery and charger sold separately: Battery pack 18 V 2.0 Ah (PA-332), Fast charger 18 V (PA-333) *4 Japanese Domestic Model

(Pole) hedge trimmer and (pole) chainsaw optional parts



Battery-powered brush cutter





Chip saw type, from gardening to agricultural use

Both powerful and easy to use





Chip saw & Resin blade (2 type of blades)

Two different blades for different conditions



[Chip saw] For overgrown grass or weeds with thick stems



[Resin blade] For lawns, soft grass and edges



Chip saw type (SBC series)

U handle type Loop handle type Détachable Detachable **High capacity battery** 5 hours on for longer operating time full charge *! (Compared to former model SBC-3625) * No load, low mode SBC-1825L SBC-3650 Chip saw & resin blade **Check product** information (2 types of blades) by video Chip saw type **SGR-1820** (SBC series)

■ Specification

Specific	Jation										
Model SBC-3650 *4 SBC-3650L *4			SE	3C-1825 *4	SBC	-1825L *4	SGR-1820	*4			
Motor Brushless motor			motor				DO	motor			
Battery type						Lith	nium-ion				
Voltage			DC 3	86 V				D	C 18 V		
Charging tir	ne *1		Approx	. 70 min			Approx	. 90 min		Approx. 60	min
Operating	High mode		Approx.	100 min			Approx	. 30 min		Approx. 35	min
time *2	Low mode		Approx.	300 min			Approx	. 50 min		Approx. 35	min
Battery capa	acity		5.0	Ah			2.5	5 Ah		2.0 Ah	
Number of r	evolutions		3000 ~ 6	6000 rpm		3000 ~ 5000 rpm			(Chip saw) 630 (Blade) 6600		
Cutting type	s	Mowing	owing Chip saw					2 types (chip saw, res	sin blade)		
Trim diamet	er	blade *3		230 mm diameter (9 inch)				Both type:160 mm dia	ameter		
Handle		UI	nandle	e Loop handle		U	handle	Loop	handle	Loop handl	е
Shaft			Detachable			Extendable	,				
Body size		1,880 >	< 660 × 420	1,880 × 280	0 × 250	1,850 >	$1,850 \times 660 \times 400$		280×250	1,100~1,40	0
	Battery side	990 ×	660 × 350	990 × 225	× 180	950 ×	660 × 330	950 × 2	225 × 125	(Extendable	∍)
	Motor side	980 ×	280 × 240	980 × 280	× 240	950 ×	280 × 240	980 × 2	280 × 240	× 170× 230)
Net Weight		5.3kg	(11.6 lbs)	5.1kg (11.	2 lbs)	4.5kg	g (9.9 lbs)	4.2kg	(9.2 lbs)	1.7kg (3.7 lbs	s)
Gross Weig	ht	8.0kg	(17.6 lbs)	7.7kg (16.	.9 lbs)	6.7kg	(14.7 lbs)	6.4kg	(14.1 lbs)	3.0kg (3.0 lb	s)
Dimensions I	_×W×H (mm)	1070 ×	290 × 185	1070 × 290 × 185		290 × 185	1040 × 220 ×	100			
Packing Uni	it						1				
Accessories										Chip saw (blade Battery pack	1
			arger	1	Chip sav	, ,	1			Charger	1
			ttery pack	1	Nut drive		1			Resin blade 5 bl	ades
		Sh	oulder strap	1	Nut wrer	ich	1			Nut driver Nut wrench	1 1

^{*1} May differ depending on temperature or remaining battery power. *2 At full charge, no load. Operating time may change depending on the brush cutting conditions.

^{*3 255} mm (10 inch) blades cannot be used. *4 Japanese Domestic Model

Hand carry type battery-powered brush cutter



Less tiring! Easy to use! Very quiet and perfect for residential neighborhoods!

Easy to store!

The handles and tires fold up, making the model easily stored in a car.



Mowing edge is OK with nylon string

No worries to damage edgestone and garden trees







Model		SBC-3625C *3
Motor		Brushless motor
Battery type		Lithium-ion
Voltage		DC 36 V
Battery capacity		2.5 Ah
Charging time *1		Approx. 90 min
Operating time *2	High mode	Approx. 30 min
Guide bar length	Low mode	Approx. 140 min
Number of revolut	ions	3,000~5,300 rpm
Cutting method		Nylon cutter (nylon cutter + nylon string)
Trim width		360 mm
Nylon string		Cross section: Twisted square (2.4 mm diagonal)
		Length: 170 mm (including rivet)
Net Weight		7.6 kg (16.7 lbs)
Gross Weight		12 kg (26.4 lbs)
Dimensions L×W>	kH (mm)	860 × 600 × 265
Packing Unit		1



^{*1} May differ depending on temperature or remaining battery power.

^{*2} At full charge, no load. Run time varies depending on the brush cutting conditions.

^{*3} Japanese Domestic Model

Hand carry type engine brush cutter

Equipped with super-lightweight 4-stroke engine Fuel efficient and easy to maintain

Easy to start, quiet and user-friendly operation.

Nylon string manual roll-up system

The string length is adjustable, so no need to replace it.




Easier to use and less tiring!

Equipped with a 4-stroke engine





Model	EBC-35C*2
Engine model	KOSHIN K 35
Displacement	35 cc
Engine type	Air cooled 4-stroke gasoline engine
Fuel type	Automotive unleaded gasoline
Fuel tank capacity	Approx. 0.7 L
Continuous operating time	Approx. 50 min
Maximum output	0.81 kW(1.1 PS) / 6500 rpm
Cutting method	Nylon cutter (nylon cutter + nylon string)
Trim width	420 mm
Nylon string	Cross section: square (2.4 mm diagonal)
	Length: 4 m
Net Weight	10.1 kg (22.2 lbs)
Gross Weight	13.2 kg (29.1 lbs)
Dimensions LxWxH (mm)	895 × 590 × 260
Packing Unit	1





Don't get tired after long hours of mowing anymore!



■ Specification

Madal	EBC 06C*2
Model	EBC-26C*2
Engine model	KOSHIN KC 26
Displacement	26 cc
Engine type	Air cooled 2-stroke gasoline engine
Fuel type	2-stroke premix fuel 50:1 (JASO FC or higher)
Fuel tank capacity	Approx. 0.6 L
Continuous operating time	Approx. 35 min
	(Differs depending on operational conditions)
Maximum output	0.7 kW(0.93 PS) / 7500 rpm
Cutting method	Nylon cutter (nylon cutter + nylon string)
Trim width	420 mm
Nylon string	Cross section: Round shape(3.0 mm diameter)
	Length: 207 mm (including rivet)
Net Weight	8.9 kg (19.6 lbs)
Gross Weight	12.3 kg (27.1 lbs)
Dimensions L×W×H (mm)	895 × 590 × 260
Packing Unit	1

^{*} Differs depending on operational conditions. *2 Japanese Domestic Model

^{*} Differs depending on operational conditions.

^{*2} Japanese Domestic Model